

A REDUCE Limits Package

Stanley L. Kameny
Email: stan%valley.uucp@rand.org

LIMITS is a fast limit package for REDUCE for functions which are continuous except for computable poles and singularities, based on some earlier work by Ian Cohen and John P. Fitch. The Truncated Power Series package is used for non-critical points, at which the value of the function is the constant term in the expansion around that point. l'Hôpital's rule is used in critical cases, with preprocessing of $\infty - \infty$ forms and reformatting of product forms in order to apply l'Hôpital's rule. A limited amount of bounded arithmetic is also employed where applicable.

1 Normal entry points

`LIMIT(EXPRN:algebraic, VAR:kernel, LIMPOINT:algebraic):algebraic`

This is the standard way of calling limit, applying all of the methods. The result is the limit of EXPRN as VAR approaches LIMPOINT.

2 Direction-dependent limits

`LIMIT!+(EXPRN:algebraic, VAR:kernel, LIMPOINT:algebraic):algebraic`
`LIMIT!-(EXPRN:algebraic, VAR:kernel, LIMPOINT:algebraic):algebraic`

If the limit depends upon the direction of approach to the LIMPOINT, the functions LIMIT!+ and LIMIT!- may be used. They are defined by:

`LIMIT!+ (LIMIT!-) (EXP,VAR,LIMPOINT) →`

LIMIT(EXP*, ϵ ,0) EXP*=sub(VAR=VAR+(-) ϵ^2 ,EXP)

3 Diagnostic Functions

LIMIT0(EXPRN:*algebraic*, VAR:*kernel*, LIMPOINT:*algebraic*):*algebraic*

This function will use all parts of the limits package, but it does not combine log terms before taking limits, so it may fail if there is a sum of log terms which have a removable singularity in some of the terms.

LIMIT1(EXPRN:*algebraic*, VAR:*kernel*, LIMPOINT:*algebraic*):*algebraic*

This function uses the TPS branch only, and will fail if the limit point is singular.

LIMIT2(TOP:*algebraic*,
 BOT:*algebraic*,
 VAR:*kernel*,
 LIMPOINT:*algebraic*):*algebraic*

This function applies l'Hôpital's rule to the quotient (TOP/BOT).